

129 Osprey



OSPREY (*Pandion haliaetus*)

IDENTIFICATION

60-71 cm. White head, with a dark band on sides; dark brown upperparts; white underparts, with a brown chest band; dark upperwing and white underwing, with a black patch; primaries with black tips.

SIMILAR SPECIES

Recalls a **Short-toed Eagle**, which lacks a carpal dark patch on underwing and black eye lines.



Short-toed Eagle

SEXING

Male usually with a faint breast band or without band; lesser and median underwing coverts uniformly white. **Female** with a broad, dark and well marked breast band; lesser and median underwing coverts with rows of dark spots. (**CAUTION:** sexing is not always possible due to overlap and exceptions to the rule can be found). Size can be an useful character in extreme birds: **male** with wing shorter than 470 mm; **female** with wing longer than 500 mm.

AGEING

Since **2nd year** birds remain in their winter quarters and don't travel to Europe, only 2 types of age can be recognized:

Juvenile with regular buffish fringes on upperparts; streaked crown; greater coverts with pale tips; flight feathers with pale tips; secondaries barred from base to top without a dark subterminal band; barred greater underwing coverts forming a poorly distinct band; underparts tinged buffish; only one generation of wing feathers.

Adult with uniform dark brown upperparts; white crown with darker forecrown; greater coverts without pale tips; flight feathers without pale tips; secondaries with a dark subterminal band; greater underwing coverts forming a distinct dark band; white underparts; with several generations of wing feathers.

MOULT

Moult starts in the **2nd year** and it is practically continuous, stopping only for migration periods.

PHENOLOGY

I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII

STATUS IN ARAGON

On passage, mainly in the Ebro river and large dams of the Region; some birds have been recorded in summer.