

343 Ring Ouzel



Ring Ouzel. Winter. Adult. Male (29-XII)

RING OUZEL (*Turdus torquatus*)

IDENTIFICATION

24-27 cm. **Adult male** black in breeding plumage; pectoral band pure white; yellow bill with dark tip; in non breeding plumage in **winter** with greyish edges on feathers and dark bill with yellowish tip. **Female** with dark grey plumage; pectoral band dark brown. Some 1st year females without pale pectoral band.

SIMILAR SPECIES

The white pectoral band makes this species unmistakable. **Females** without white band recall a **Spotless Starling** with has shorter tail and thinner bill; **Female Blue Rock Thrush** has similar size, but different pattern on flanks and underparts; **Blackbird** has wing feathers without pale edges.



Spotless Starling

Blue Rock Thrush. Female



Blackbird. Female



SEXING

In **adult** birds, **breeding male** with a white or light brownish pectoral band; head and neck black or brownish-black; in **autumn** feathers on head and neck with brownish edges; body feathers with a narrow pale edge (about 1 mm). **Breeding female** with obscure brownish-white pectoral band; head and neck dark brownish; in **autumn** feathers on head and neck with paler edges; body feathers with a wide brownish edge (about 2 mm) (**CAUTION:** some **adult females** are very similar to **males**). In **1st year autumn/2nd year spring** birds, **male** with an evident pectoral band, paler than underparts; **female** with poorly marked pectoral band, with the same colour than underparts. **Juveniles** cannot be sexed.

AGEING

3 types of age can be recognized:


Juvenile has body feathers with pale tips; pale chin and throat; pale mottled on tips of lesser and median coverts; greater coverts with large whitish edge.

1st year autumn/2nd year spring with moult limit between the inner changed greater coverts (narrow pale edge) and the outermost unmoulted; tail feathers with pointed tips; some **females** with unmarked pectoral band.

Adult with no moult limits on wing; all the greater coverts with narrow edge; tail feathers with rounded tips.

MOULT

Complete **postbreeding** moult, usually finished in September before migration. Partial **postjuvenile** moult including body feathers, lesser and median coverts and a variable number of greater coverts; some birds can moult tertials; usually finished in October.



Ring Ouzel. Extent of postjuvenile moult.

■ All birds
■ Some birds

343 Ring Ouzel



PHENOLOGY

I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII

STATUS IN ARAGON


Breeding only in the Pyrenees but wintering in lower areas of the Region, mainly in *Juniperus thurifera* forests of the Ebro Valley and Teruel.



Ring Ouzel. Winter. Adult. Female (10-I)



Ring Ouzel. Winter. 1st year. Male (01-XI)






Ring Ouzel. Winter. 1st year. Female ()



Ring Ouzel. Winter. Adult. Head pattern: top male (29-XII); bottom female (10-I)





Ring Ouzel. Winter. 1st year. Head pattern: top male (01-XI); bottom female ()




Ring Ouzel. Winter. Adult. Crown pattern: left male (29-XII); right female (10-I)

343 Ring Ouzel





Ring Ouzel. Winter. Adult. Breast pattern: left male (29-XII); right female (10-I)

Ring Ouzel. Winter 1st year. Crown pattern: left male (01-XI); right female ()



Ring Ouzel. Winter 1st year. Breast pattern: left male (01-XI); right female ()


Ring Ouzel. Winter. Adult. Neck pattern: left male (29-XII); right female (10-I)



Ring Ouzel. Winter. Adult. Upperparts pattern: left male (29-XII); right female (10-I)

Ring Ouzel. Winter 1st year. Neck pattern: left male (01-XI); right female ()

343 Ring Ouzel



Ring Ouzel. Winter. Adult. Male: pattern of wing (29-XII).


Ring Ouzel. Winter 1st year. Upperparts pattern: left male (01-XI); right female ()




Ring Ouzel. Winter. Adult. Female: pattern of wing (10-I).




Ring Ouzel. Winter. Adult. Tail pattern: left male (29-XII); right female (10-I)



Ring Ouzel. Winter. 1st year. Male: pattern of wing (01-XI)



Ring Ouzel. Winter 1st year. Tail pattern: left male (01-XI); right female ()



Ring Ouzel. Winter. 1st year. Female: pattern of wing ()